

GLORY

## CI-50 for back office (with collection cassette)

Cash recycling system



reddot award 2018  
winner industrial design

Combining both a banknote and coin recycler, the CI-50 accelerates back office cash processes in low volume cash locations. Delivering increased productivity for your staff and reducing the risk of cash shrinkage, the CI-50 allows your staff to focus on higher value activities that improve the customer experience and drive growth for your business.

UA Hryvnya



As part of the CASHINFINITY™ solution, the CI-50 is a small footprint and low capacity banknote and coin recycler that meets the demands of small retail and gaming organisations.

	CI-50B (banknote recycler)	CI-10C (coin recycler)
Dimensions (W × D × H)	Without monitor (UL-291 24-hour): 340 × 800 × 900mm (13.4" × 31.5" × 35.4") With monitor (UL-291 24-hour): 340 × 800 × 1460mm (13.4" × 31.5" × 57.5")	Without extension top cover: 270 × 506 × 900mm (10.6" × 19.9" × 35.4") With extension top cover: 270 × 795 × 900mm (10.6" × 31.3" × 35.4")
Weight	With monitor (UL-291 24-hour): 315kg / 694 lbs.	With cover: 85kg / 187.4 lbs.
Function	"Follow me" LED sign Exit shutter Dedicated box × 2 Error recovery animation	"Follow me" LED sign Rejection of foreign objects Collection through outlet Error recovery animation Slide extension unit
Number of recycle modules	Total 1,200 notes Configuration options: Single module (300 notes) × 3 + dual module (100 notes + 200 notes) × 1 Single module (300 notes) × 2 + dual module (100 notes + 200 notes) × 2 Single module (300 notes) × 4	8 recycle modules 10 UA Hryvnya 200 coins 5 UA Hryvnya 230 coins 2 UA Hryvnya 260 coins 1 UA Hryvnya 280 coins 0.50 UA Hryvnya 180 coins 0.10 UA Hryvnya 330 coins
Other currencies		Please contact us for further information
Coin overflow tray capacity		750 coins (option)
Collection capacity	2000 notes via collection cassette *Capacity dependent on condition of notes	
Total capacity of banknotes/coins	3200 notes	Depends on a recycle module configuration

	CI-50B (banknote recycler)	CI-10C (coin recycler)
Deposit		
Capacity of inlet:	100 notes (with cover opened) 5 notes (with cover closed)	50 coins 5 coins / sec
Speed of cash in:	5 notes (with cover opened)	
Dispensing		
Capacity of outlet:	10 notes	50 coins
Speed of cash out:	4 notes/sec	4 coins/sec
Recognition unit	Counterfeit detection Fitness detection	Counterfeit detection
Currencies	UA Hryvnya Other currencies on request	UA Hryvnya Other currencies on request
Safe	UL-291 24-hour	
Security ink	Security ink cassette (option)	
Terminal	Terminal PC included Controls CI-50B and CI-10C	
Supply voltage range	AC 100 V - 240 V (50/60 Hz)	AC 100 V - 240 V (50/60 Hz)
Current consumption	5.2~2.3 A	1.8~1.2 A
Approval	CE, UL	CE, UL

\*The capacity of coins is calculated in 50 HRYVNIA kopijok. Specifications are subject to change without notice. Please read the instruction manual carefully to ensure correct equipment usage. All figures, capacities and speeds quoted in this brochure are as tested by GLORY LTD. They may vary depending on usage conditions and are not guaranteed.

## Related solutions...

### CI-10

Compact cash recycling solution, enabling automated cash handling at point of sale positions.



### CI-SERVER

Centralised management of cash throughout a store in the front and back office.



### CI-100

Fast secure cash processing and storage in the back office.



### Innovative Banking Systems LLC

+38 (044) 495 00 76 info@ibs.kiev.ua

[www.ibs.kiev.ua](http://www.ibs.kiev.ua)

2, Timiryazivskaya str., Kiev, Ukraine, 01014.

GLORY

## CI-50 for back office (with stacking safe bag)

Cash recycling system



reddot award 2018  
winner industrial design

Combining both a banknote and coin recycler, the CI-50 accelerates back office cash processes in low volume cash locations. Delivering increased productivity for your staff and reducing the risk of cash shrinkage, the CI-50 allows your staff to focus on higher value activities that improve the customer experience and drive growth for your business.

UA Hryvnya



As part of the CASHINFINITY™ solution, the CI-50 is a small footprint and low capacity banknote and coin recycler that meets the demands of small retail and gaming organisations.

	CI-50B (banknote recycler)	CI-10C (coin recycler)
Dimensions (W × D × H)	Without monitor (UL-291 24-hour safe): 340 × 950 × 900mm (13.4" × 37.4" × 35.4") With monitor (UL-291 24-hour safe): 340 × 950 × 1460mm (13.4" × 37.4" × 57.5")	Without extension top cover: 270 × 506 × 900mm (10.6" × 19.9" × 35.4") With extension top cover: 270 × 795 × 900mm (10.6" × 31.3" × 35.4")
Weight	With monitor (UL-291 24-hour safe): 395kg / 871 lbs.	With cover: 85kg / 187.4 lbs.
Function	"Follow me" LED sign Exit shutter Dedicated box × 2 Error recovery animation	"Follow me" LED sign Rejection of foreign objects Collection through outlet Error recovery animation Slide extension unit
Number of recycle modules	Total 1,200 notes Configuration options: Single module (300 notes) × 3 + dual module (100 notes + 200 notes) × 1 Single module (300 notes) × 2 + dual module (100 notes + 200 notes) × 2 Single module (300 notes) × 4	8 recycle modules 10 UA Hryvnya 200 coins 5 UA Hryvnya 230 coins 2 UA Hryvnya 260 coins 1 UA Hryvnya 280 coins 0.50 UA Hryvnya 180 coins 0.10 UA Hryvnya 330 coins
Other currencies		Please contact us for further information
Coin overflow tray capacity		750 coins (option)
Collection capacity	1,500 notes *Capacity dependent on condition of notes	
Total capacity of banknotes/coins	2,700 notes	Depends on a recycle module configuration

	CI-50B (banknote recycler)	CI-10C (coin recycler)
Deposit		
Capacity of inlet:	100 notes (with cover opened) 5 notes (with cover closed)	50 coins
Speed of cash in:	5 notes (with cover opened)	5 coins / sec
Dispensing		
Capacity of outlet:	10 notes	50 coins
Speed of cash out:	4 notes/sec	4 coins/sec
Recognition unit	Counterfeit detection Fitness detection	Counterfeit detection
Currencies	UA Hryvnya Other currencies on request	UA Hryvnya Other currencies on request
Safe	UL-291 24-hour	
Terminal	Terminal PC included Controls CI-50B and CI-10C	
Supply voltage range	AC 100 V - 240 V (50/60 Hz)	AC 100 V - 240 V (50/60 Hz)
Current consumption	8.2~3.0 A	1.8~1.2 A
Approval	CE, UL	CE, UL

\*The capacity of coins is calculated in 0,50 UA Hryvnya. Specifications are subject to change without notice. Please read the instruction manual carefully to ensure correct equipment usage. All figures, capacities and speeds quoted in this brochure are as tested by GLORY LTD. They may vary depending on usage conditions and are not guaranteed.

## Related solutions...

### CI-10

Compact cash recycling solution, enabling automated cash handling at point of sale positions.



### CI-SERVER

Centralised management of cash throughout a store in the front and back office.



### CI-100

Fast secure cash processing and storage in the back office.



### Innovative Banking Systems LLC

+38 (044) 495 00 76 info@ibs.kiev.ua

[www.ibs.kiev.ua](http://www.ibs.kiev.ua)

2, Timiryazivskaya str., Kiev, Ukraine, 01014.